

檢驗報告

報告編號： UB/2009/40198

日期： 2009年4月20日

頁數： 1 of 5



百冠生化科技股份有限公司
台北市大同區承德路3段267號9樓

以下測試之樣品係由供應廠商所提供及確認：

產品名稱： 北海道黃金蘑菇精華萃取液
產品型號： 4937068000528
送樣日期： 2009年4月9日
測試日期： 2009年4月10日

委託測試項目： 1.有機氯農藥、有機磷農藥及 LC 81項農藥定量分析
2.重金屬定量分析

測試方法： 1.本測試參考中華民國國家標準 CNS 13570-2 方法—食品中殘留農藥檢驗方法：多重殘留分析方法 (II)(88/08/04公告)；衛生署公告食品中殘留農藥—多重殘留分析方法(三)(公告字號：食字第 0949424750號)及衛生署公告食品中殘留農藥—多重殘留分析方法(四)(公告字號：食字第 0971800329號)。以氣相層析串聯離子阱質譜儀(GC/MS/MS)，氣相層析儀電子捕捉偵測器(GC/ECD)，氣相層析儀火焰光度偵測器(GC/FPD)，高效液相層析儀/螢光偵測器(HPLC/FLD)或液相層析串聯質譜儀(LC/MS/MS)檢測。
2.本測試參考 USEPA method 3051，以感應耦合電漿光譜儀(ICP/OES)分析。

測試結果： 此份樣品共檢測196項農藥及重金屬(詳附錄)，均未檢出。

備註：1.本報告不得分離，分離使用無效。

2.檢測結果若大於方法偵測極限則匯整上表中，本次檢測項目及方法偵測極限分別詳列於附錄中。

- END -

Signed for and on behalf of
SGS Taiwan Ltd.

Yuan-Min Wen
Manager

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company.除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部分複製。
This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

附 錄

報告編號：

UB/2009/40198

日期：2009年4月20日

頁數：2 of 5

測試項目及MDL匯整表：

單位:ppm(mg/kg)

序號	測試項目	CAS NO.	方法偵測極限	序號	測試項目	CAS NO.	方法偵測極限		
1.	3-keto加保扶代謝物	3-keto Carbofuran	16709-30-1	0.010	41.	克氯瑞	Chloropropylate	5836-10-2	0.050
2.	3-OH加保扶代謝物	3-OH carbofuran	16655-82-6	0.010	42.	四氯異苯晴	Chlorothalonil	1897-45-6	0.0050
3.	毆殺松	Acephate	30560-19-1	0.060	43.	陶斯松	Chlorpyrifos	2921-88-2	0.010
4.	亞滅培	Acetamidrid	135410-20-7	0.010	44.	甲基陶斯松	Chlorpyrifos-methyl	5598-13-0	0.030
5.	拉草	Alachlor	15972-60-8	0.010	45.	克氯得	Chlozolate	84332-86-5	0.010
6.	得滅克	Aldicarb	116-06-3	0.010	46.	可尼丁	Clothianidin	210880-92-5	0.010
7.	得滅克代謝物	Aldicarb sulfone	1646-88-4	0.010	47.	施力松	Cyanofenphos	13067-93-1	0.020
8.	得滅克代謝物	Aldicarb sulfoxide	1646-87-3	0.010	48.	賽座滅	Cyazofamid	120116-88-3	0.010
9.	阿特靈	Aldrin	309-00-2	0.0050	49.	賽扶寧	Cyfluthrin	68359-37-5	0.050
10.	亞烈寧	Allethrin	584-79-2	0.010	50.	賽洛寧	Cyhalothrin	91465-08-6	0.010
11.	亞滅寧	alpha-Cypermethrin	67375-30-8	0.050	51.	賽滅寧	Cypermethrin	52315-07-8	0.020
12.	谷速松	Azinphos-methyl	86-50-0	0.080	52.	環克座	Cyproconazole	94361-06-5	0.010
13.	亞托敏	Azoxystrobin	131860-33-8	0.010	53.	4,4-DDE	p,p'-DDE	72-55-9	0.0030
14.	免敵克	Bendiocarb	22781-23-3	0.010	54.	4,4-DDT	p,p'-DDT	50-29-3	0.010
15.	倍尼芬	Benfluralin	1861-40-1	0.010	55.	第滅寧	Deltamethrin	52918-63-5	0.020
16.	免扶克	Benfuracarb	82560-54-1	0.010	56.	滅賜松	Demeton-S-methyl	919-86-8	0.030
17.	a-蟲必死	-BHC	319-84-6	0.0030	57.	大利松	Diazinon	333-41-5	0.020
18.	b-蟲必死	-BHC	319-85-7	0.010	58.	益發靈	Dichlofluanid	1085-98-9	0.010
19.	必芬諾	Bifenox	42576-02-3	0.010	59.	二氯松	Dichlorvos	62-73-7	0.010
20.	畢芬寧	Bifenthrin	82657-04-3	0.030	60.	大克爛	Dicloran	99-30-9	0.010
21.	比多農	Bitertanol	55179-31-2	0.020	61.	大克瑞	Dicofol	115-32-2	0.020
22.	乙基溴磷松	Bromophos-ethyl	4824-78-6	0.020	62.	雙特松	Dicrotophos	141-66-2	0.010
23.	溴磷松	Bromophos-methyl	2104-96-3	0.030	63.	地特靈	Dieldrin	60-57-1	0.0050
24.	新殺瑞	Bromopropylate	18181-80-1	0.020	64.	待克利	Difenoconazole	119446-68-3	0.10
25.	布瑞莫	Bupirimate	41483-43-6	0.030	65.	大滅松	Dimethoate	60-51-5	0.020
26.	丁基拉草	Butachlor	23184-66-9	0.010	66.	達滅芬	Dimethomorph	110488-70-5	0.010
27.	佈嘉信	Butocarboxim	34681-10-2	0.010	67.	達克利	Diniconazole	83657-24-3	0.0250
28.	比達寧	Butralin	33629-47-9	0.050	68.	達乃安	Dinitramine	29091-05-2	0.0050
29.	四氯丹	Captafol	2425-06-1	0.040	69.	大芬滅	Diphenamid	957-51-7	0.010
30.	蓋普丹	Captan	133-06-2	0.0050	70.	二硫松	Disulfoton	298-04-4	0.010
31.	加保利	Carbaryl	63-25-2	0.010	71.	普得松	Ditalimfos	5131-24-8	0.0250
32.	貝芬替	Carbendazim	10605-21-7	0.010	72.	護粒松	Edifenphos	17109-49-8	0.010
33.	加保扶	Carbofuran	1563-66-2	0.010	73.	安殺番	Endosulfan (alpha)	959-98-8	0.0050
34.	加芬松	Carbophenothion	786-19-6	0.020	74.	安殺番	Endosulfan (beta)	33213-65-9	0.0050
35.	丁基加保扶	Carbosulfan	55285-14-8	0.010	75.	安特靈	Endrin	72-20-8	0.0050
36.	瑞離丹	Chinomethionat	2439-01-2	0.0050	76.	一品松	EPN	2104-64-5	0.010
37.	-可氯丹	-Chlordane	5103-71-9	0.0050	77.	益化利	Esfenvalerate	66230-04-4	0.020
38.	-可氯丹	-Chlordane	5103-74-2	0.0030	78.	愛殺松	Ethion	563-12-2	0.010
39.	克凡派	Chlorfenapyr	122453-73-0	0.010	79.	普伏松	Ethoprophos	13194-48-4	0.010
40.	克福隆	Chlorfluazuron	71422-67-8	0.030	80.	益多松	Etrifos	38260-54-7	0.020

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

超微量工業安全實驗室
Ultra Trace Industrial Safety Hygiene

附 錄

報告編號：

UB/2009/40198

日期：2009年4月20日

頁數：3 of 5

測試項目及MDL匯整表(續)： 單位:ppm(mg/kg)

序號	測試項目	CAS NO.	方法偵測極限	序號	測試項目	CAS NO.	方法偵測極限		
81.	芬滅松	Fenamiphos	22224-92-6	0.050	121.	滅芬草	Mefenacet	73250-68-7	0.010
82.	芬瑞莫	Fenarimol	60168-88-9	0.020	122.	美福松	Mephosfolan	950-10-7	0.020
83.	芬殺瑞	Fenazaquin	120928-09-8	0.010	123.	滅普寧	Mepronil	55814-41-0	0.010
84.	撲滅松	Fenitrothion	122-14-5	0.010	124.	滅克松	Methacrifos	62610-77-9	0.020
85.	丁基滅必蟲	Fenobucarb	3766-81-2	0.010	125.	達馬松	Methamidophos	10265-92-6	0.020
86.	芬普寧	Fenpropathrin	39515-41-8	0.050	126.	滅大松	Methidathion	950-37-8	0.020
87.	芬普瑞	Fenpyroximate	134098-61-6	0.010	127.	滅賜克	Methiocarb	2032-65-7	0.010
88.	繁福松	Fensulfothion	115-90-2	0.050	128.	納乃得	Methomyl	16752-77-5	0.010
89.	芬殺松	Fenthion	55-38-9	0.020	129.	莫多草	Metolachlor	51218-45-2	0.010
90.	芬化利	Fenvalerate	51630-58-1	0.030	130.	治滅蟲	Metolcarb	1129-41-5	0.010
91.	芬普尼	Fipronil	120068-37-3	0.0020	131.	滅必淨	Metribuzin	21087-64-9	0.020
92.	護賽寧	Flucythrinate	70124-77-5	0.050	132.	美文松	Mevinphos	7786-34-7	0.020
93.	氟芬隆	Flufenoxuron	101463-69-8	0.010	133.	滅蟻樂	Mirex	002385-85-5	0.010
94.	護矽得	Flusilazole	85509-19-9	0.010	134.	稻得壯	Molinate	2212-67-1	0.010
95.	福多寧	Flutolanil	66332-96-5	0.010	135.	亞素靈	Monocrotophos	6923-22-4	0.050
96.	護汰芬	Flutriafol	76674-21-0	0.010	136.	邁克尼	Myclobutanil	88671-89-0	0.050
97.	福化利	Fluvalinate	102851-06-9	0.10	137.	滅落脫	Napropamide	15299-99-7	0.010
98.	大福松	Fonofos	944-22-9	0.020	138.	尼瑞莫	Nuarimol	63284-71-9	0.020
99.	福木松	Formothion	2540-82-1	0.030	139.	歐滅松	Omethoate	1113-02-6	0.050
100.	甲基合氯氟	Gallant	69806-40-2	0.010	140.	樂滅草	Oxadiazon	19666-30-9	0.010
101.	合芬寧	Halfenprox	111872-58-3	0.020	141.	歐殺滅	Oxamyl	23135-22-0	0.010
102.	飛佈達	Heptachlor	76-44-8	0.0030	142.	嘉保信	Oxycarboxine	5259-88-1	0.010
103.	環氧飛佈達	Heptachlor epoxide	1024-57-3	0.0050	143.	巴克素	Pacloutrazol	76738-62-0	0.010
104.	飛達松	Heptenophos	23560-59-0	0.010	144.	巴拉松	Parathion	56-38-2	0.010
105.	菲克利	Hexaconazole	79983-71-4	0.020	145.	甲基巴拉松	Parathion-methyl	298-00-0	0.010
106.	六伏隆	Hexaflumuron	86479-06-3	0.020	146.	平克座	Penconazole	66246-88-6	0.020
107.	合賽多	Hexythiazox	78587-05-0	0.020	147.	賓克隆	Pencycuron	66063-05-6	0.010
108.	易胺座	Imibenconazole	86598-92-7	0.020	148.	施得圃	Pendimethalin	40487-42-1	0.010
109.	益達胺	Imidacloprid	138261-41-3	0.010	149.	百滅寧	Permethrin	52645-53-1	0.050
110.	因得克	Indoxacarb	144171-61-9	0.010	150.	賽達松	Phenthoate	2597-03-7	0.020
111.	丙基喜樂松	Iprobenfos	26087-47-8	0.030	151.	福瑞松	Phorate	298-02-2	0.010
112.	依普同	Iprodione	36734-19-7	0.050	152.	裕必松	Phosalone	2310-17-0	0.030
113.	依殺松	Isazofos	42509-80-8	0.010	153.	益滅松	Phosmet	732-11-6	0.020
114.	亞芬松	Isofenphos	25311-71-1	0.010	154.	福賜米松	Phosphamidon	13171-21-6	0.050
115.	滅必蟲	Isoprocarb	2631-40-5	0.010	155.	比加普	Pirimicarb	23103-98-2	0.010
116.	亞賜圃	Isoprothiolane	50512-35-1	0.020	156.	乙基亞特松	Pirimiphos-ethyl	23505-41-1	0.010
117.	加福松	Isoxathion	18854-01-8	0.020	157.	亞特松	Pirimiphos-methyl	29232-93-7	0.010
118.	克收欣	Kresoxim-methyl	143390-89-0	0.010	158.	普拉草	Pretilachlor	51218-49-6	0.050
119.	靈丹	Lindane	58-89-9	0.0050	159.	撲克拉	Prochloraz	67747-09-5	0.030
120.	馬拉松	Malathion	121-75-5	0.010	160.	撲滅寧	Procymidone	32809-16-8	0.050

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

超微量工業安全實驗室
Ultra Trace Industrial Safety Hygiene

附 錄

報告編號：

UB/2009/40198

日期：2009年4月20日

頁數：4 of 5

測試項目及MDL匯整表(續)： 單位:ppm(mg/kg)

序號	測試項目	CAS NO.	方法偵測極限	序號	測試項目	CAS NO.	方法偵測極限		
161.	佈飛松	Profenofos	41198-08-7	0.020	182.	治滅寧	Tetramethrin	7696-12-0	0.010
162.	普滅克	Promecarb	2631-37-0	0.010	183.	腐絕	Thiabendazole	148-79-8	0.010
163.	除草靈	Propanil	709-98-8	0.010	184.	賽速安	Thiamethoxam	153719-23-4	0.010
164.	加護松	Propaphos	7292-16-2	0.010	185.	殺丹	Thiobencarb	28249-77-6	0.010
165.	普克利	Propiconazole	60207-90-1	0.030	186.	硫敵克	Thiodicarb	59669-26-0	0.010
166.	安丹	Propoxur	114-26-1	0.010	187.	三泰芬	Triadimefon	43121-43-3	0.010
167.	普硫松	Prothiofos	34643-46-4	0.010	188.	三泰隆	Triadimenol	55219-65-3	0.020
168.	白克松	Pyraclofos	77458-01-6	0.030	189.	三落松	Triazophos	24017-47-8	0.010
169.	白粉松	Pyrazophos	13457-18-6	0.050	190.	三氯松	Trichlorfon	52-68-6	0.050
170.	畢達本	Pyridaben	96489-71-3	0.030	191.	三氟敏	Trifloxystrobin	141517-21-7	0.010
171.	必芬松	Pyridaphenthion	119-12-0	0.10	192.	賽福座	Triflumizole	99387-89-0	0.010
172.	比芬諾	Pyrifenox	88283-41-4	0.030	193.	三福林	Trifluralin	1582-09-8	0.010
173.	百利普芬	Pyriproxyfen	95737-68-1	0.010	194.	繁米松	Vamidotion	2275-23-2	0.10
174.	百快隆	Pyroquilon	57369-32-1	0.010	195.	免克寧	Vinclozolin	50471-44-8	0.0050
175.	拜裕松	Quinalphos	13593-03-8	0.020	196.	滅克蟲	XMC	2655-14-3	0.010
176.	快伏草	Quizalofop-ethyl	76578-14-8	0.010	197.	砷	砷 (As)	007440-38-2	2.0
177.	殺力松	Salithion	3811-49-2	0.020	198.	鉛	鉛 (Pb)	007439-92-1	2.0
178.	得克利	Tebuconazole	107534-96-3	0.010	199.	汞	汞 (Hg)	007439-97-6	2.0
179.	托福松	Terbufos	13071-79-9	0.010	200.	鎘	鎘 (Cd)	007440-43-9	2.0
180.	四克利	Tetraconazole	112281-77-3	0.010	201.	銅	銅 (Cu)	007440-50-8	2.0
181.	得脫瑞	Tetradifon	116-29-0	0.020					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部分複製。
This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

超微量工業安全實驗室
Ultra Trace Industrial Safety Hygiene

報告編號： UB/2009/40198

日期： 2009年4月20日

頁數： 5 of 5



樣品照片



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

檢驗報告

報告編號： UB/2009/40202

日期： 2009年4月20日

頁數： 1 of 5



百冠生化科技股份有限公司
台北市大同區承德路3段267號9樓

以下測試之樣品係由供應廠商所提供及確認：

產品名稱： 北海道黃金磨菇炊飯汁
產品型號： 4937068000719
買主： 百冠生化科技股份有限公司
生產或供應廠商： 株式会社スリービー
原產國： 日本
送樣日期： 2009年4月9日
測試日期： 2009年4月10日

委託測試項目：

- 1.有機氯農藥、有機磷農藥及 LC 81項農藥定量分析
- 2.重金屬定量分析

測試方法：

- 1.本測試參考中華民國國家標準 CNS 13570-2 方法—食品中殘留農藥檢驗方法：多重殘留分析方法 (II)(88/08/04公告)；衛生署公告食品中殘留農藥—多重殘留分析方法(三)(公告字號：食字第 0949424750號)及衛生署公告食品中殘留農藥—多重殘留分析方法(四)(公告字號：食字第 0971800329號)。以氣相層析串聯離子阱質譜儀(GC/MS/MS)，氣相層析儀電子捕捉偵測器(GC/ECD)，氣相層析儀火焰光度偵測器(GC/FPD)，高效液相層析儀/螢光偵測器(HPLC/FLD)或液相層析串聯質譜儀(LC/MS/MS)檢測。
- 2.本測試參考 USEPA method 3051，以感應耦合電漿光譜儀(ICP/OES)分析。

測試結果： 此份樣品共檢測196項農藥及重金屬(詳附錄)，均未檢出。

備註：1.本報告不得分離，分離使用無效。

2.檢測結果若大於方法偵測極限則匯整上表中，本次檢測項目及方法偵測極限分別詳列於附錄中。

- END -

Signed for and on behalf of
SGS Taiwan Ltd.


Yuan-Min Wen
Manager

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company.除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部分複製。
This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

附 錄

報告編號：

UB/2009/40202

日期：2009年4月20日

頁數：2 of 5

測試項目及MDL匯整表：

單位:ppm(mg/kg)

序號	測試項目	CAS NO.	方法偵測極限	序號	測試項目	CAS NO.	方法偵測極限		
1.	3-keto加保扶代謝物	3-keto Carbofuran	16709-30-1	0.010	41.	克氯瑞	Chloropropylate	5836-10-2	0.050
2.	3-OH加保扶代謝物	3-OH carbofuran	16655-82-6	0.010	42.	四氯異苯晴	Chlorothalonil	1897-45-6	0.0050
3.	毆殺松	Acephate	30560-19-1	0.060	43.	陶斯松	Chlorpyrifos	2921-88-2	0.010
4.	亞滅培	Acetamidrid	135410-20-7	0.010	44.	甲基陶斯松	Chlorpyrifos-methyl	5598-13-0	0.030
5.	拉草	Alachlor	15972-60-8	0.010	45.	克氯得	Chlozolate	84332-86-5	0.010
6.	得滅克	Aldicarb	116-06-3	0.010	46.	可尼丁	Clothianidin	210880-92-5	0.010
7.	得滅克代謝物	Aldicarb sulfone	1646-88-4	0.010	47.	施力松	Cyanofenphos	13067-93-1	0.020
8.	得滅克代謝物	Aldicarb sulfoxide	1646-87-3	0.010	48.	賽座滅	Cyazofamid	120116-88-3	0.010
9.	阿特靈	Aldrin	309-00-2	0.0050	49.	賽扶寧	Cyfluthrin	68359-37-5	0.050
10.	亞烈寧	Allethrin	584-79-2	0.010	50.	賽洛寧	Cyhalothrin	91465-08-6	0.010
11.	亞滅寧	alpha-Cypermethrin	67375-30-8	0.050	51.	賽滅寧	Cypermethrin	52315-07-8	0.020
12.	谷速松	Azinphos-methyl	86-50-0	0.080	52.	環克座	Cyproconazole	94361-06-5	0.010
13.	亞托敏	Azoxystrobin	131860-33-8	0.010	53.	4,4-DDE	p,p'-DDE	72-55-9	0.0030
14.	免敵克	Bendiocarb	22781-23-3	0.010	54.	4,4-DDT	p,p'-DDT	50-29-3	0.010
15.	倍尼芬	Benfluralin	1861-40-1	0.010	55.	第滅寧	Deltamethrin	52918-63-5	0.020
16.	免扶克	Benfuracarb	82560-54-1	0.010	56.	滅賜松	Demeton-S-methyl	919-86-8	0.030
17.	a-蟲必死	-BHC	319-84-6	0.0030	57.	大利松	Diazinon	333-41-5	0.020
18.	b-蟲必死	-BHC	319-85-7	0.010	58.	益發靈	Dichlofluanid	1085-98-9	0.010
19.	必芬諾	Bifenox	42576-02-3	0.010	59.	二氯松	Dichlorvos	62-73-7	0.010
20.	畢芬寧	Bifenthrin	82657-04-3	0.030	60.	大克爛	Dicloran	99-30-9	0.010
21.	比多農	Bitertanol	55179-31-2	0.020	61.	大克瑞	Dicofol	115-32-2	0.020
22.	乙基溴磷松	Bromophos-ethyl	4824-78-6	0.020	62.	雙特松	Dicrotophos	141-66-2	0.010
23.	溴磷松	Bromophos-methyl	2104-96-3	0.030	63.	地特靈	Dieldrin	60-57-1	0.0050
24.	新殺瑞	Bromopropylate	18181-80-1	0.020	64.	待克利	Difenoconazole	119446-68-3	0.10
25.	布瑞莫	Bupirimate	41483-43-6	0.030	65.	大滅松	Dimethoate	60-51-5	0.020
26.	丁基拉草	Butachlor	23184-66-9	0.010	66.	達滅芬	Dimethomorph	110488-70-5	0.010
27.	佈嘉信	Butocarboxim	34681-10-2	0.010	67.	達克利	Diniconazole	83657-24-3	0.0250
28.	比達寧	Butralin	33629-47-9	0.050	68.	達乃安	Dinitramine	29091-05-2	0.0050
29.	四氯丹	Captafol	2425-06-1	0.040	69.	大芬滅	Diphenamid	957-51-7	0.010
30.	蓋普丹	Captan	133-06-2	0.0050	70.	二硫松	Disulfoton	298-04-4	0.010
31.	加保利	Carbaryl	63-25-2	0.010	71.	普得松	Ditalimfos	5131-24-8	0.0250
32.	貝芬替	Carbendazim	10605-21-7	0.010	72.	護粒松	Edifenphos	17109-49-8	0.010
33.	加保扶	Carbofuran	1563-66-2	0.010	73.	安殺番	Endosulfan (alpha)	959-98-8	0.0050
34.	加芬松	Carbophenothion	786-19-6	0.020	74.	安殺番	Endosulfan (beta)	33213-65-9	0.0050
35.	丁基加保扶	Carbosulfan	55285-14-8	0.010	75.	安特靈	Endrin	72-20-8	0.0050
36.	瑞離丹	Chinomethionat	2439-01-2	0.0050	76.	一品松	EPN	2104-64-5	0.010
37.	-可氯丹	-Chlordane	5103-71-9	0.0050	77.	益化利	Esfenvalerate	66230-04-4	0.020
38.	-可氯丹	-Chlordane	5103-74-2	0.0030	78.	愛殺松	Ethion	563-12-2	0.010
39.	克凡派	Chlorfenapyr	122453-73-0	0.010	79.	普伏松	Ethoprophos	13194-48-4	0.010
40.	克福隆	Chlorfluazuron	71422-67-8	0.030	80.	益多松	Etrifos	38260-54-7	0.020

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

超微量工業安全實驗室
Ultra Trace Industrial Safety Hygiene

附 錄

報告編號：

UB/2009/40202

日期：2009年4月20日

頁數：3 of 5

測試項目及MDL匯整表(續)： 單位:ppm(mg/kg)

序號	測試項目	CAS NO.	方法偵測極限	序號	測試項目	CAS NO.	方法偵測極限		
81.	芬滅松	Fenamiphos	22224-92-6	0.050	121.	滅芬草	Mefenacet	73250-68-7	0.010
82.	芬瑞莫	Fenarimol	60168-88-9	0.020	122.	美福松	Mephosfolan	950-10-7	0.020
83.	芬殺瑞	Fenzaquin	120928-09-8	0.010	123.	滅普寧	Mepronil	55814-41-0	0.010
84.	撲滅松	Fenitrothion	122-14-5	0.010	124.	滅克松	Methacrifos	62610-77-9	0.020
85.	丁基滅必蟲	Fenobucarb	3766-81-2	0.010	125.	達馬松	Methamidophos	10265-92-6	0.020
86.	芬普寧	Fenprothrin	39515-41-8	0.050	126.	滅大松	Methidathion	950-37-8	0.020
87.	芬普瑞	Fenpyroximate	134098-61-6	0.010	127.	滅賜克	Methiocarb	2032-65-7	0.010
88.	繁福松	Fensulfothion	115-90-2	0.050	128.	納乃得	Methomyl	16752-77-5	0.010
89.	芬殺松	Fenthion	55-38-9	0.020	129.	莫多草	Metolachlor	51218-45-2	0.010
90.	芬化利	Fenvalerate	51630-58-1	0.030	130.	治滅蟲	Metolcarb	1129-41-5	0.010
91.	芬普尼	Fipronil	120068-37-3	0.0020	131.	滅必淨	Metribuzin	21087-64-9	0.020
92.	護賽寧	Flucythrinate	70124-77-5	0.050	132.	美文松	Mevinphos	7786-34-7	0.020
93.	氟芬隆	Flufenoxuron	101463-69-8	0.010	133.	滅蟻樂	Mirex	002385-85-5	0.010
94.	護矽得	Flusilazole	85509-19-9	0.010	134.	稻得壯	Molinate	2212-67-1	0.010
95.	福多寧	Flutolanil	66332-96-5	0.010	135.	亞素靈	Monocrotophos	6923-22-4	0.050
96.	護汰芬	Flutriafol	76674-21-0	0.010	136.	邁克尼	Myclobutanil	88671-89-0	0.050
97.	福化利	Fluvalinate	102851-06-9	0.10	137.	滅落脫	Napropamide	15299-99-7	0.010
98.	大福松	Fonofos	944-22-9	0.020	138.	尼瑞莫	Nuarimol	63284-71-9	0.020
99.	福木松	Formothion	2540-82-1	0.030	139.	歐滅松	Omethoate	1113-02-6	0.050
100.	甲基合氯氟	Gallant	69806-40-2	0.010	140.	樂滅草	Oxadiazon	19666-30-9	0.010
101.	合芬寧	Halfenprox	111872-58-3	0.020	141.	歐殺滅	Oxamyl	23135-22-0	0.010
102.	飛佈達	Heptachlor	76-44-8	0.0030	142.	嘉保信	Oxycarboxine	5259-88-1	0.010
103.	環氧飛佈達	Heptachlor epoxide	1024-57-3	0.0050	143.	巴克素	Pacloutrazol	76738-62-0	0.010
104.	飛達松	Heptenophos	23560-59-0	0.010	144.	巴拉松	Parathion	56-38-2	0.010
105.	菲克利	Hexaconazole	79983-71-4	0.020	145.	甲基巴拉松	Parathion-methyl	298-00-0	0.010
106.	六伏隆	Hexaflumuron	86479-06-3	0.020	146.	平克座	Penconazole	66246-88-6	0.020
107.	合賽多	Hexythiazox	78587-05-0	0.020	147.	賓克隆	Pencycuron	66063-05-6	0.010
108.	易胺座	Imibenconazole	86598-92-7	0.020	148.	施得圃	Pendimethalin	40487-42-1	0.010
109.	益達胺	Imidacloprid	138261-41-3	0.010	149.	百滅寧	Permethrin	52645-53-1	0.050
110.	因得克	Indoxacarb	144171-61-9	0.010	150.	賽達松	Phenthoate	2597-03-7	0.020
111.	丙基喜樂松	Iprobenfos	26087-47-8	0.030	151.	福瑞松	Phorate	298-02-2	0.010
112.	依普同	Iprodione	36734-19-7	0.050	152.	裕必松	Phosalone	2310-17-0	0.030
113.	依殺松	Isazofos	42509-80-8	0.010	153.	益滅松	Phosmet	732-11-6	0.020
114.	亞芬松	Isofenphos	25311-71-1	0.010	154.	福賜米松	Phosphamidon	13171-21-6	0.050
115.	滅必蟲	Isoprocarb	2631-40-5	0.010	155.	比加普	Pirimicarb	23103-98-2	0.010
116.	亞賜圃	Isoprothiolane	50512-35-1	0.020	156.	乙基亞特松	Pirimiphos-ethyl	23505-41-1	0.010
117.	加福松	Isoxathion	18854-01-8	0.020	157.	亞特松	Pirimiphos-methyl	29232-93-7	0.010
118.	克收欣	Kresoxim-methyl	143390-89-0	0.010	158.	普拉草	Pretilachlor	51218-49-6	0.050
119.	靈丹	Lindane	58-89-9	0.0050	159.	撲克拉	Prochloraz	67747-09-5	0.030
120.	馬拉松	Malathion	121-75-5	0.010	160.	撲滅寧	Procymidone	32809-16-8	0.050

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

超微量工業安全實驗室
Ultra Trace Industrial Safety Hygiene

附 錄

報告編號：

UB/2009/40202

日期：2009年4月20日

頁數：4 of 5

測試項目及MDL匯整表(續)： 單位:ppm(mg/kg)

序號	測試項目	CAS NO.	方法偵測極限	序號	測試項目	CAS NO.	方法偵測極限		
161.	佈飛松	Profenofos	41198-08-7	0.020	182.	治滅寧	Tetramethrin	7696-12-0	0.010
162.	普滅克	Promecarb	2631-37-0	0.010	183.	腐絕	Thiabendazole	148-79-8	0.010
163.	除草靈	Propanil	709-98-8	0.010	184.	賽速安	Thiamethoxam	153719-23-4	0.010
164.	加護松	Propaphos	7292-16-2	0.010	185.	殺丹	Thiobencarb	28249-77-6	0.010
165.	普克利	Propiconazole	60207-90-1	0.030	186.	硫敵克	Thiodicarb	59669-26-0	0.010
166.	安丹	Propoxur	114-26-1	0.010	187.	三泰芬	Triadimefon	43121-43-3	0.010
167.	普硫松	Prothiofos	34643-46-4	0.010	188.	三泰隆	Triadimenol	55219-65-3	0.020
168.	白克松	Pyraclofos	77458-01-6	0.030	189.	三落松	Triazophos	24017-47-8	0.010
169.	白粉松	Pyrazophos	13457-18-6	0.050	190.	三氯松	Trichlorfon	52-68-6	0.050
170.	畢達本	Pyridaben	96489-71-3	0.030	191.	三氟敏	Trifloxystrobin	141517-21-7	0.010
171.	必芬松	Pyridaphenthion	119-12-0	0.10	192.	賽福座	Triflumizole	99387-89-0	0.010
172.	比芬諾	Pyrifenox	88283-41-4	0.030	193.	三福林	Trifluralin	1582-09-8	0.010
173.	百利普芬	Pyriproxyfen	95737-68-1	0.010	194.	繁米松	Vamidotion	2275-23-2	0.10
174.	百快隆	Pyroquilon	57369-32-1	0.010	195.	免克寧	Vinclozolin	50471-44-8	0.0050
175.	拜裕松	Quinalphos	13593-03-8	0.020	196.	滅克蟲	XMC	2655-14-3	0.010
176.	快伏草	Quizalofop-ethyl	76578-14-8	0.010	197.	砷	砷 (As)	007440-38-2	2.0
177.	殺力松	Salithion	3811-49-2	0.020	198.	鉛	鉛 (Pb)	007439-92-1	2.0
178.	得克利	Tebuconazole	107534-96-3	0.010	199.	汞	汞 (Hg)	007439-97-6	2.0
179.	托福松	Terbufos	13071-79-9	0.010	200.	鎘	鎘 (Cd)	007440-43-9	2.0
180.	四克利	Tetraconazole	112281-77-3	0.010	201.	銅	銅 (Cu)	007440-50-8	2.0
181.	得脫瑞	Tetradifon	116-29-0	0.020					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部分複製。
This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

報告編號： UB/2009/40202

日期： 2009年4月20日

頁數： 5 of 5



樣品照片



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company.除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.